

WOSON


2023


Product List

REP C02023-C



AUTOCLAVE · DENTAL CHAIR · IMAGING SYSTEMS
AGLOBAL COMPREHENSIVE DENTAL EQUIPMENT SOLUTIONS PROVIDER
WOSON MEDICAL INSTRUMENT CO.,LTD.

 [wosongroup](#)

 [wosongroup](#)

MORE WOSON. MORE YOU.

WOSON Medical Instrument Co. Ltd is located in the Investment & Pioneering Zone of Ningbo city, covering a total area of 14000sq.meters. After accumulating more than 10 years of processing experience in dental accessories and parts, "WOSON", as an independent brand, was established in 2000. WOSON focuses on dental devices design, production, sales and service with a great combination of innovative technology and high quality. Sub-brands include: PURPLEDENTAL (Equipments and Devices), WOQUTE (Dental Culture Objects), PARSON (Accessories and Parts) in order to satisfy customers' various demand.

After independent research and development and the introduction of technology at home and abroad, WOSON continuously improves the quality and function of its autoclaves and dental units, optimizing the equipment package solution and providing product diversification and quality service.

WOSON produces in strict accordance with the ISO13485 quality management system, the products being praised for stable quality and high cost efficiency. Established good reputation encourages us to export to numbers of overseas countries and regions.

At the same time, WOSON represents: Imaging, Root canal filling system, Oral lighting system etc...from overseas well-known brands, offering top-end solutions for the domestic market.

WOSON is chasing for higher quality level with great enthusiasm and in a personalized way!

We wish that all of you are *Willing To Smile*



Content

ABOUT WOSON 2

INFECTION CONTROL 4-11

AUTOCLAVE 6-9

TANCY 6-7

TANCO 6-7

TANZO CLASSIC 6-7

TANZO TOUCH 6-7

TANVO 6-7

ACCESSORIES 8

DOLPHINN 9

TANDA COLOR 9

STERILIZING ACCESSORY PRODUCTS 10-11

LINDAR 100L 10

COLLIN20 2L 10

COLLIN60 6L 10

LUB919+ 10

SELIMA 11

SELINA 11

SELIN2.0 11

DRINK 10 11

DENTAL CHAIR 12-22

DENTAL UNIT 12-20

WOVO 13-14

WOZO 12-14

WODO 13-14

UPGRADE/ADD 15-17

ACCESSORIES 18-19

EDUCATOR 20

OILLESS COMPRESSOR 21

STORM 21

SUCTION UNIT 22

TORNADO 22

DENTAL SUCTION 22

TORNADO 22

IMAGING SYSTEMS 23-26

PORTABLE X-RAY 24

RAYL 24

DENTAL X-RAY MACHINE 24

RAYO-M 24

RAYO-W 24

INTRAORAL X-RAY SENSOR 25

RAYIN 25

INTRAORAL SCANNER 26

IONA VISTA 26

WOSON Autoclave Family - B Class


				
TANVO 2.0 29L/45L 2800W 895X640X595mm	TANZO TOUCH 2.0 18L/23L 1800W/2000W 560X470X400mm 675X470X400mm	TANZO CLASSIC 2.0 18L/23L 1800W/2000W 560X470X400mm 675X470X400mm	TANCO 8L/12L 1400W 540X370X360mm	TANZY TOUCH 2L 1800W 530X450X170mm

- N Class - Lubricating & Sealing

					
TANDA COLOR 8L/12L 1500W 443X372X328mm	TANDA COLOR 18L/23L 1500W/1700W 560X450X400mm 670X450X400mm	DRINK 10 18L/23L 225X270X370mm	SELIMA 750W 560X260X220mm	SELINA 100W 540X325X235mm	SELIN 100W 500X400X210mm

- Washing & Cleaning

			
LUB 919+ 40W 285X355X270mm	LINDAR 100L 1700W 595X550X620mm	COLLIN 60 6L 120W 323X205X99mm	COLLIN 20 2.5L 120W 245X150X76mm



TANZO TOUCH 2.0

STEAM STERILIZER

LEADING INNOVATION



Willing To Smile

STEAM STERILIZER

Well-selected world famous electronic componets make product top quality.



TANZO TOUCH 18/23L



- Smart Menu
- Large Size Touch Screen
- Accurate Program Control
- Intelligent Diagnosis System
- Water Quality Sensor
- Multi-Language System
- Reverse Osmosis Water Supply
- Diverse Test Systems



TANVO 29/45L



- 45L or 29L Super Capacity
- Automatic Electronic Door Lock
- Water-circulating Pump
- Double Steam Generator
- Can be loaded on the clinic commonly used 60cm desktop.



TANZO CLASSIC 18/23L

- Multiple Record Output
- Optimized Sterilization Speed
- High Precision
- Informative Digital Display



TANCO 8/12L

- European Class B.
- 3-time pre-vacuum and drying.
- Compact size, lightweight body.
- Save space and operate freely



TANCY 2L

- Medical aluminum alloy chamber, lighter and more durable.
- Drawer-shape design, easier operation.
- Multilayer heating, faster and more evenly.
- Motor lock system, ensure safety.



STEAM STERILIZER



TANCY



TANCO



TANZO CLASSIC



TANZO TOUCH




TANVO

CODE	MODEL	VOLUME	DISPLAY		RECORD OUTPUT			DOOR LOCKER		WATER SUPPLY		PARAMETER		
			DIGITAL	LCD	PRINTER INT.	PRINTER EXT.	USB	MECHANICAL	ELECTRONICAL	PURIFIER SYSTEM	QUALITY TEST	PACKAGE SIZE	SHAPE SIZE	NET WEIGHT
10.02.04.05	TANCY TOUCH	2L	△	●	△	○	●	●	●	△	△	750X520X230mm	530X450X170mm	23Kg
10.02.03.01.03B	TANCO	8L	●	△	○	○	●	●	△	△	●	630X460X460mm	540X370X360mm	37Kg
10.02.03.01.04B	TANCO	12L	●	△	○	○	●	●	△	△	●	630X460X460mm	540X370X360mm	40Kg
10.02.02.03.001D	TANZO CLASSIC 2.0	18L	●	△	○	○	●	●	△	○	●	655X560X495mm	560X470X400mm	47Kg
10.02.02.03.008	TANZO CLASSIC 2.0	23L	●	△	○	○	●	●	△	○	●	765X560X495mm	675X470X400mm	53Kg
10.02.02.02.018	TANZO TOUCH 2.0+	18L	△	●	●	○	●	●	●	○	●	655X560X495mm	560X470X400mm	47Kg
10.02.04.05.020	TANZO TOUCH 2.0+	23L	△	●	●	○	●	●	●	○	●	765X560X495mm	675X470X400mm	53Kg
10.02.06.01.009	TANVO 2.0	29L	●	△	●	○	●	△	●	△	●	848X720X710mm	758X640X580mm	80Kg
10.02.04.05.005	TANVO 2.0	45L	●	△	●	○	●	△	●	△	●	848X720X710mm	758X640X580mm	90Kg

*Standard: ● Optional: ○ Incompatible: △

ACCESSORIES



Li



Water Purifier System



CTO



RO



UDF



PPF



BD Test Bag



Sterilization Indicators



Sterilization Bag



Disinfection Cassette-S/M/L



Tray Rack Barrier



Built-in Printer



External Printer



Label Printer

CODE	MODEL	DESCRIPTION	PACKAGE
10.02.06.01.007	Li	TANVO Mobile Cabinet	860X640X805mm
12.02.0379	Water Purifier System	Reverse Osmosis Water Purifier (Only for Touch & Classic)	550X400X170mm
12.02.0948	Purifying Filter CTO	Sintered compressed active carbon filter element	90X90X350mm
12.02.0947	Purifying Filter RO	Composite reverse osmosis membrane filter element	90X90X350mm
12.02.0950	Purifying Filter UDF	Granular activated carbon filter element	90X90X350mm
12.02.0951	Purifying Filter PPF	Polypropylene melt-blown filter element	90X90X350mm
12.02.2595	B&D Test Bag	Bowie&Dick Steam Penetration Test Bag	120X120X10mm
12.02.2727	Sterilization Indicators	High-temperature and high-pressure sterilization test paper	80X100X120mm
10.07.02	Sterilization Bag	7.5CMX200M	400X200X320mm
10.07.03		10CMX200M	395X200X225mm
10.07.04		15CMX200M	410X210X300mm
12.02.1140	Disinfection Cassette-S	12.5CMX18CM	125X180X22mm
12.02.1141	Disinfection Cassette-M	14CMX20.5CM	140X205X33mm
12.02.1142	Disinfection Cassette-L	20.5CMX28CM	205X280X32mm
12.02.0233	Tray Rack Barrier*2	13.5CMX13.5CMX3cm	135X135X30mm
12.02.0507	Built-in Printer	Thermal printer installed inside the sterilizer	—
10.13.01	External Printer	External thermal printer	—
12.02.0334	Label Printer	External label printer	—

TANDA COLOR 3.0

N CLASS STEAM STERILIZER

Sterilization should not be a tedious thing, to face dental clinics, beauty salons, tattoo rooms, and other basic sterilization occasions, a compact TANDA COLOR shows her talents, everything is made simple and ease.

TANDA COLOR 3.0 8/12L

New Design

- Different Way of Heating
- The Most Secure Product



TANDA COLOR 3.0 18/23L

Innovative Structural Design

Can be loaded on the clinic commonly used 50cm desktop.



This price list is valid till the end of 2023.
WOSON may update this price list due to the price or products changes.
Please stay with the latest version that officially released by WOSON Medical.
© WOSON. All Right Reserved.


 **woson**[®]

CODE	MODEL	VOLUME	PARAMETER		
			PACKAGE SIZE	SHAPE SIZE	NET WEIGHT
10.02.01.02.09	TANDA COLOR	8L	640x495x475 mm	443X372X328mm	22Kg
10.02.01.02.10	TANDA COLOR	12L	640x495x475 mm	443X372X328mm	23Kg
10.02.01.02.13	TANDA COLOR	18L	660x525x495 mm	490X450X400mm	25Kg
10.02.01.02.14	TANDA COLOR	23L	770x530x495mm	605X450X400mm	30Kg



LINDAR

Washer Disinfector



WOSON medical washer LINDAR is mainly used for cleaning of medical instruments through the microcomputer control. Rely on the effect of high pressure circulating water pump, multi-directional dynamic spraying can be realized by spray arm. The final cleaning process realizes high-temperature thermal washing at 93°C, 23°C higher than ordinary medical washers, to realize the large water jet flushing of dental instruments.

When running the cleaning procedure and adding low foam multi-enzyme cleaning agent, it can quickly decompose and separate the pollutants on the external surface and internal cavity of dental instruments, so as to achieve the effect of thorough cleaning inside and outside the dental handpieces.

Others



COLLIN 20



COLLIN 60



LUB919+


This price list is valid till the end of 2023.
WOSON may update this price list due to the price or products changes.
Please stay with the latest version that officially released by WOSON Medical.
© WOSON. All Right Reserved.



CODE	PRODUCT NAME	MODEL	PARAMETER	
			SIZE	NET WEIGHT
10.22.01	Washer Disinfector	LINDAR 100L	595X505X620mm	32Kg
10.05.04	Ultrasonic Cleaner	COLLIN20 2L	356X275X242mm	2.9Kg
10.05.06	Ultrasonic Cleaner	COLLIN60 6L	575X370X325mm	7.9Kg
10.03.01.05	Lubricator	LUB919+	285X355X275mm	8Kg
10.03.0100	Lubricator Oil 500ml	LUB919 Oil	—	—

SELIMA

Intelligent Printing Seal Machine




Ink Ribbon

- ※ Chinese and English switching, Chinese and English printing.
- ※ Fashionable appearance, small size and takes up little space.
- ※ The user can set up the sealing temperature according to the actual needs.
- ※ 7" large screen display, visual operation and automatic temperature control.
- ※ 8 million data storage, USB data extraction function will help you to extract historical data at any time.
- ※ This equipment conforms to the requirements for sealing machine in the final sterilization medical device packaging material regulations YY/T 0698-2009.

Accessory Products



SELINA



SELIN2.0



DRINK 10

This price list is valid till the end of 2023.
WOSON may update this price list due to the price or products changes.
Please stay with the latest version that officially released by WOSON Medical.
© WOSON. All Right Reserved.



CODE	PRODUCT NAME	MODEL	PARAMETER	
			SIZE	NET WEIGHT
10.06.11	Printing Sealing Machine	SELIMA	560X260X220mm	18Kg
12.06.1015	Ink Ribbon	HR-308	—	—
10.06.06A	Sealing Machine	SELINA	540X325X235mm	5Kg
10.06.03A	Sealing Machine	SELIN2.0	520X300X220mm	4.5Kg
10.04.01.01	Distiller	DRINK 10	225X270X370mm	8Kg

WOZO 2.0

DENTAL UNIT

RETURN TO DEMAND
FOCUS ON EXPERIENCE

Piping Disinfection



Willing To Smile

DENTAL UNIT

BRAND
SUPPORT



WOVO

WOVO A/X series, carefully constructed by Woson technicians after years of preparation. Multi-task device combined with design philosophy of comfort and simplicity, consistent with world-class products.



CIDF
China Innovation Design Fair

WOZO

RETURN TO DEMAND
FOCUS ON EXPERIENCE
COMFORT AND SAFETY
OPERATE FREELY



WODO Junior

An ergonomic dental chair designed specifically for children. Range-adjustable backrest, multi-media device holder, re-designed spittoon position and lower chair position to meet the needs of kids. Keep your teeth protected from a young age



WODO

Classic design, economic choice
Optimized configuration
Complete functions to meet clinical needs



DENTAL UNIT



WOVO



WOZO



WODO JUNIOR



WODO



WODO MILLE

CODE	MODEL	DRIVE SYSTEM		INSTRUMENT TRAY			OPERATION LIGHT		CUSHION		SOLENOID VALVE	PARAMETER		
		HYDRAULIC	ELECTRONICAL	TOP-MOUNTED	HANGING	MOBILE	FARO	WOSON LED	FIBER LEATHER	PU		PACKAGE SIZE	SHAPE SIZE	NET WEIGHT
10.01.01.02.01A	WOVO X1	※	○	●	△	△	MAIA	△	●	○	※	1470X1080X1110mm 1340X740X790mm	1820X1600X1800mm	225Kg
10.01.01.02.02A	WOVO X2	※	○	△	●	△	MAIA	△	●	○	※	1470X1080X1110mm 1340X740X790mm	1820X1600X1800mm	225Kg
10.01.01.01.01A	WOVO A1	○	※	●	△	△	MAIA	△	●	○	※	1470X1080X1110mm 1340X740X790mm	1820X1600X1800mm	225Kg
10.01.01.01.02A	WOVO A2	○	※	△	●	△	MAIA	△	●	○	※	1470X1080X1110mm 1340X740X790mm	1820X1600X1800mm	225Kg
10.01.08.01	WOZO A1	△	●	●	△	△	○	FSE	○	●	○	1450X1100X1160mm	1750X930X1600mm	205Kg
10.01.08.02	WOZO A2	△	●	△	●	△	○	FSE	○	●	○	1450X1100X1160mm	1750X930X1600mm	205Kg
10.01.02.01.03B	WOZO AM	△	※	△	△	●	EDI	△	●	○	※	1450X1100X1160mm 620X620X880mm	1750X930X1600mm	205Kg
10.01.05.05	WODO Junior	△	●	△	△	●	EDI	△	●	○	○	1450X1100X1160mm 620X620X880mm	1750X930X1600mm	180Kg
10.01.03.01.02B	WODO A2	△	●	○	●	△	○	D1	○	●	○	1450X1100X1160mm	1600X1100X1500mm	180Kg
10.01.04.01.01B	WODO MILLE	△	●	○	●	△	○	D1	○	●	○	1450X1100X1160mm	1600X1100X1500mm	180Kg


*Standard: ● Optional: ○ Incompatible: △ Import: ※

Upgrade(DENTAL UNIT)

WOZO



WODO



WODO MILLE



This price list is valid till the end of 2023.
WOSON may update this price list due to the price or products changes.
Please stay with the latest version that officially released by WOSON Medical.
© WOSON. All Right Reserved.

 **woson**[®]

DESCRIPTION	MODEL
LED Lamp Upgrade to FARO EDI	WOZO/WODO
LED Lamp Upgrade to FARO MAIA	WOZO/WODO
LED Lamp Upgrade to Surgical Lamp	WOZO/WODO
FARO EDI Upgrade to FARO MAIA	WOZO/WODO
FARO EDI Upgrade to Surgical Lamp	WOZO/WODO
FARO MAIA Upgrade to Surgical Lamp	WOZO/WODO
PU Upgrade to Fiber Leather	WOZO/WODO
Upgrade to A1 Top-Mounted Instrument Tray	WODO
Upgrade to 3-holder Multifunctional Assistant Console	WODO MILLE
Upgrade to 4-holder Multifunctional Assistant Console	WODO MILLE
Upgrade to Metal Connector	WODO MILLE
Upgrade to A1 Top-Mounted Instrument Tray	WODO MILLE
Upgrade From DC-I to DC-II	WODO MILLE

FARO LIGHT



SINCE 1948. EXPERIENCE AND INNOVATION

Faro is an historic Italian brand for lighting in the dental sector.

FARO stands for high Italian quality, creativity and innovation.

We provide products and "lighting systems" to improve the overall "light experience" because light is not just sight, but above all life and well-being.



EDI LED



MAIA

	EDI LED	MAIA
LUX :	30000-35000Lux	30000-35000
Spot Size:	100X180mm	170X85mm
Net Shadow S-FX:	9X6mm	9X6mm
Color Temperatur:	5000K	5000K
CRI:	85	85

LIGHT & CAMERA SYSTEM



ALYA CAM



EVA CAM

	ALYA CAM	EVA CAM			
	5000K	4000K	5000K	5700K	COMPOSITE
LIGHT SPOT DIMENSION	190x100	190x100			
LUX	50.000	50.000			11.000
NET SHADOW S-FX	10x5mm	10x5mm			
COLOR TEMPERATURE (K)	5000	4000	5000	5700	2700
CRI	97	95	95	96	96
ROTATION SYSTEM	3 rd axis	3 rd axis			

This price list is valid till the end of 2023.
Woson may update this price list due to the price or products changes.
Please stay with the latest version that officially released by Woson Medical.
All Rights Reserved by Woson Medical



CODE	MODEL	PARAMETER	
		SIZE	NET WEIGHT
12.01.8079A	ALYA CAM	500X400X1200mm	5Kg
12.01.8079B	EVA CAM	500X400X1200mm	5Kg

SURGICAL LAMP

KY-P138

Input Voltage: AC 12-24V

Power:38W

Illumination:30000-90000Lux

Color Temperatur:4000-5500K Adjust Color Temperatur

Spot size:Φ120mm(Distance for 900mm)

Amount of LED tube:26 pcs

Dimension of carton:50×50×25cm

Weight of one carton:7KG



KY-P138-W

KY-P138-P

This price list is valid till the end of 2023.
Woson may update this price list due to the price or products changes.
Please stay with the latest version that officially released by Woson Medical.
All Rights Reserved by Woson Medical.

 woson®

CODE	MODEL	PARAMETER	
		SIZE	NET WEIGHT
12.01.0502	KY-P138	500×500×250mm	7Kg
12.01.0502A	KY-P138-W	500×500×250mm	15Kg
12.01.0502B	KY-P138-P	500×500×250mm	15Kg

LUNA

New Rainbow LED Curing Light

LUNA-A180A PLUS

Strongly concentrated light
and one second cure
Cure 2 mm resin in 1 SEC



Upgraded light guide stick
with front LED light



Large area irradiation
Cover larger restorations
at one time



SERA

Ultrasonic Scaler

SERA COLOR

Input Voltage: 100-240V~ 50-60Hz
Power Supply:30V DC1.5A
Output Power:75W
Operate Mode:Consecutive Operation
Protection Class: II Class
Protective Degree: BF Type Equipment



SERA AQUA

Input Voltage: 100-240V~ 50-60Hz
Power Supply:30V DC1.2A
Output Power:3-20W
Operate Mode:Consecutive Operation
Protection Class: II Class
Protective Degree: Type BF Applied Part



ACCESSORIES



Head Pillow/Waist Pillow



Micromotor



Detachable Tray



DC-I



DC-II (Fiber Leather)



DC-II (PU)



SERA COLOR



SERA AQUA



C2/C3/L2/L3



LUNA-A180A PLUS



LUNA-B200



VEO-X



VEO-S



VEO-SW

This price list is valid till the end of 2023.
WOSON may update this price list due to the price or products changes.
Please stay with the latest version that officially released by WOSON Medical.
© WOSON. All Right Reserved.



DESCRIPTION	MODEL	DESCRIPTION
Head Pillow/Waist Pillow	-	
Micromotor	-	
Detachable Tray	-	
Dentist Stool	DC-I	
Dentist Stool	DC-II	PU or Fiber Leather
Ultrasonic Scaler	SERA COLOR	Detachable
Ultrasonic Scaler	SERA AQUA	Detachable
Ultrasonic Scaler	C2	Detachable, Built-in, 135°C Autoclavable, EMS/Woopecker Compatible,
Ultrasonic Scaler	C3	Detachable, Built-in, 135°C Autoclavable, EMS/Woopecker Compatible,
Ultrasonic Scaler	L2	Detachable, Built-in, 135°C Autoclavable, DTE/Satelec Compatible
Ultrasonic Scaler	L3	Detachable, Built-in, 135°C Autoclavable, DTE/Satelec Compatible
Curing Light	LUNA-A180A PLUS	External, Wireless, Threw Working Modes
Curing Light	LUNA-B200	Built-in
IntraOral Camera Set	VEO-X	
Monitor	VEO-D	
IntraOral Camera	VEO-H	VEO-H + VEO-L
Integrated Arm Support	VEO-S	
Integrated Arm Support	VEO-SW	Suitable for WOZO/WODO Series

EDUCATOR

DENTAL SIMULATOR UNIT



Upgrade



Upgrade to Table and Mobile Cabinet



Upgrade to WOZO Lamp Arm



Upgrade from DC-I to DC-II

For More Upgrade Options,
Refer to The Previous Page(Dental Unit)

This price list is valid till the end of 2023.
Woson may update this price list due to the price or products changes.
Please stay with the latest version that officially released by Woson Medical.
All Rights Reserved by Woson Medical.

 woson[®]

CODE	MODEL	PARAMETER	
		SIZE	NET WEIGHT
10.23.04	Educator	1170X550X1050mm	112Kg
Upgrade	Upgrade to Table and Mobile Cabinet		
Upgrade	Upgrade to WOZO Lamp Arm		
Upgrade	Upgrade from DC-I to DC-II		

STORM OILLESS COMPRESSOR



Suitable to use in any environment where a quiet air source is required.
All products are equipped with pressure regulating and filtering devices.

There is no need to add any lubricating oil during operation, and the air discharged by the compressor does not contain oil molecules.
Using advanced technology domestic and abroad. Low noise, small size and beautiful appearance.
Simple operation, reliable and durable, can cycle for a long time in various environments.



Dryer System

Integrated adsorption drying system with large flow condenser.

Provide clean and dry compressed air with a dew point temperature of up to 20°C to meet the gas needs of medical, pharmaceutical and food.

The drying module is easy to replace.



Insulation Cabin

The total cabin is covered with flame retardant muffler cotton.

The noise can be reduced to less than 52 decibels, which can be used in clinics and laboratories.



ST202



ST502

This price list is valid till the end of 2023.
WOSON may update this price list due to the price or products changes.
Please stay with the latest version that officially released by WOSON Medical.
© WOSON. All Right Reserved.



CODE	MODEL	CAPACITY	SPECIFICATION	SUPPORT (Unit)	AIR FLOW (L/min)	PARAMETER	
						SIZE	NET WEIGHT
10.08.07	ST101	25L	550W	1	55(@5bar)	350×330×585mm	24Kg
10.08.08	ST201	38L	750W	1-2	75(@5bar)	415×410×610mm	27Kg
10.08.09	ST102	55L	550W x2	2-3	125(@5bar)	700×345×645mm	45Kg
10.08.10	ST202	55L	750W x2	3-4	150(@5bar)	700×345×625mm	46Kg
10.08.11	ST301	50L	1200W	2-4	125(@5bar)	420×410×815mm	40Kg
10.08.12	ST302	90L	1200W x2	6-8	250(@5bar)	770×442×830mm	74Kg
10.08.13	ST502	150L	2500W x2/380V	10-15	540(@5bar)	1205×470×860mm	125Kg
10.08.14	ST504	150L	2500W x4/380V	20-30	1080(@5bar)	1205×470×1300mm	189Kg

TORNADO

SUCTION UNIT

The WOSON suction unit can collect harmful floating molecule, it goes through a special filter, which can collect 99.9% of the molecule above 0.3um, play a role environmental air purification, protecting the health of physicians, assistants and patients; is an indispensable equipment to prevent cross-infection and environmental sanitation in the clinic.



TO101



TO105



This price list is valid till the end of 2023.
WOSON may update this price list due to the price or products changes.
Please stay with the latest version that officially released by WOSON Medical.
© WOSON. All Right Reserved.

CODE	MODEL	SPECIFICATION	SUPPORT (Unit)	AIR FLOW (L/min)	PARAMETER	
					SIZE	NET WEIGHT
10.26.01	TO101	550W	1	900(max)	350×330×585mm	17Kg
10.26.02	TO102	750W	2	1100(max)	380×350×585mm	19Kg
10.26.03	TO103	1100W	3-4	1300(max)	500×418×815mm	23Kg
10.26.04	TO105	1850W	5-7	2200(max)	523×438×815mm	42Kg
10.26.05	TO108	2350W	8-10	3600(max)	530×520×870mm	46Kg

DENTAL SUCTION

Beautiful appearance and stylish design.

Low noise, strong suction and little space required.

The device can be moved freely and is equipped with a saliva suction tube hanger.

Equipped with an adjustable negative pressure device, the negative pressure value can be adjusted according to the needs of use.

Equipped with Large capacity collection bottle with the volume of 2 liters.

One button drainage function



This price list is valid till the end of 2023.
WOSON may update this price list due to the price or products changes.
Please stay with the latest version that officially released by WOSON Medical.
© WOSON. All Right Reserved.



CODE	MODEL	SPECIFICATION	MAX VACUUM (Kpa)	AIR FLOW (L/min)	PARAMETER	
					SIZE	NET WEIGHT
10.26.06	TO-Cart	10.26.06	≤-12	≥300	450×430×960mm	31Kg

RAYL™ 2.0+
Handheld X-Ray

Smart Digitization



Willing To Smile

RAYL™ 2.0+

Wisdom in Hand

Single Hand Operation, All in The Grasp

Fully humanized design, all operations can be complete by single hand.
Lightweight design, easy positioning, antijitter design, reduce the possibility of error in operation.



- Radiation Barrier

RAYO Power Frequency X-Ray

Stable Performance

Low-Radiation

Simple Operation


RAYO-M; RAYO-W features stable performance with microcomputer chip and imported key components. Thanks to the intelligent microcomputer exposure control, her line to card test and resolution level is internationally advanced.

Beam limiting device

Circular output section

Distance from focus to skin: 22CM

Output radiation: circle, diameter:φ6cm



This price list is valid till the end of 2023.

WOSON may update this price list due to the price or products changes.

Please stay with the latest version that officially released by WOSON Medical.

© WOSON. All Right Reserved.

woson®

CODE	PRODUCT NAME	MODEL	PARAMETER	
			SIZE	NET WEIGHT
10.19.02	Hand-held High-frequency X-Ray	RAYL 2.0 +	300X260X200mm	1.9Kg
12.12.0087	Radiation Barrier	—	—	—
12.12.0071	Remote Control	—	—	—
10.21.01.02	Mobile X-Ray	RAYO-M	2100X1250X780mm	42Kg
10.21.02.02	Wall-mounted X-Ray	RAYO-W	1050X1000X100mm	27Kg

RAYIN™

INTRAORAL X-RAY SENSOR

Excellent Reliability Provide Ultimate Patient Comfort

The digital sensor uses CMOS technology to provide high - resolution, diagnostic quality images with wide latitude sharpness, clear sharpness and enhanced contrast. Whether you are converting to digitalization for the first time or expand existing functions, and we can all help you.



Worldwide, the sales volume of WOSON medical products has exceeded

100,000

Ideal for professional dental clinics

Digital Sensor Positioner

Rayin series is equipped standardly with positioner, in the meantime the positioner is also sold alone.



This price list is valid till the end of 2023.
WOSON may update this price list due to the price or products changes.
Please stay with the latest version that officially released by WOSON Medical.
© WOSON. All Right Reserved.



CODE	PRODUCT NAME	MODEL	PARAMETER	
			SIZE	NET WEIGHT
10.16.03	IntraOral X-Ray Sensor-Size 1	RAYIN	300X110X30mm	0.25Kg
10.16.09	IntraOral X-Ray Sensor-Size 1.5	RAYIN MED	300X110X30mm	0.25Kg
10.16.04	IntraOral X-Ray Sensor-Size 2	RAYIN MAX	300X110X30mm	0.25Kg
12.16.0020	Digital Sensor Positioner	—	300X110X30mm	0.25Kg

iONA Vista™ INTRAORAL SCANNER



iONA VISTA +

Features



Removable Scanner Tip

Autoclavable times: 40



Anti-Fogging

Built-in heating



Light Weight

Only 250 grams, perfect balance of size and weight in hand



Powder-Free

Does not require powder to perform scanning procedures



Light Source

LED



User-friendly Scan Interface

Enable efficient scan workflow



Open File Format

Open data connection to CAD/CAM platforms, STL/PLY output.



This price list is valid till the end of 2023.
WOSON may update this price list due to the price or products changes.
Please stay with the latest version that officially released by WOSON Medical.
© WOSON. All Right Reserved.

 woson®

CODE	PRODUCT NAME	MODEL	PARAMETER	
			SIZE	NET WEIGHT
10.27.02	IntraOral Scanner	iONA VISTA	410X180X500mm	3.7Kg
10.27.03	IntraOral Scanner	iONA VISTA +	770X670X1470mm	48Kg